



NESTED CAINGS

TOOLS REQUIRED

- Erasable pencil or masking tape
- Finishing nails, 18 gauge
- Finishing nailer
- Tape measure
- Level
- Mitre saw
- Wood filler
- Spring loaded-punch
- Caulking
- Caulking gun

MATERIAL REQUIRED

1321 | SQUARE

- Thickness: 3/4"
- Width: 1-1/2"
- Length: 96"

ADDITIONAL INFORMATION

- Exterior installation: No
- Type: MDF with white primer
- When buying your material, allow about a 10% loss for cuts.

RECOMMENDATIONS

It is strongly recommended that you take the measurements of your wall before beginning in order to adjust your plans and make the calculations necessary to complete your project. You can print this guide and make it your personalized plan, based on your space, so you can determine the quantity as well as the width of your geometric patterns.

TIP


Use an erasable pencil or masking tape to mark the location of the mouldings directly on your wall. If the dimensions of the geometric patterns do not provide the desired effect, adjust your plans. It is also recommended to paint the background of your wall in your desired colour before you begin to create the geometric patterns. Once the mouldings are installed, they can be painted to harmonize your project.



INSTALLATION STEPS


STEP 1:

Measure the entire length of the wall and divide it according to the number of sections you want, to locate where the vertical mouldings will be installed. For this type of decorative wall, we suggest leaving 6" between each box and 6" between the baseboard and the ceiling.




STEP 3:

For interior casings, measure the height and interior width of the first casing already installed and remove 12" from the vertical and horizontal mouldings to keep 6" between the casings. Cut the piece with a 45-degree inside angle at both ends, then fasten moulding (E) with the finishing nailer. Make sure the moulding is level. Repeat this same step for the second vertical moulding (G) of your box. Continue with horizontal mouldings (H) and (J) to complete the first box. Repeat the same steps for the following boxes.



STEP 2:

Measure the height of your wall from the top of your baseboard to the ceiling. To install the first moulding (from the left), remove 12" from the length of the moulding. Cut the piece with an inside angle of 45-degrees at both ends, then secure the moulding (A) with the finishing nailer. Make sure the moulding is level. Repeat this same step for the second vertical moulding (B) of your casing. Continue with the horizontal mouldings (C) and (D) to complete the first casing. Repeat the same steps for the following boxes.



STEP 4:

Find the centre of your inner casing and cut a piece of moulding with a right angle on both ends, taking 12" off your inside measurement. Fasten moulding (K) with the finishing nailer. Make sure the moulding is level. Repeat the same step for all the other boxes. Using filler and caulking, mask the imperfections. Let dry, lightly sand and paint the mouldings the same colour as the wall.

